

---

**713159****FTL12FG7****GAS GRIDDLE WITH A SMOOTH PLATE ON OPEN CABINET**

---

@IMMAGINE\_PRODOTTO

- Freestanding gas griddle with a smooth steel cooking plate on an open cabinet (120 cm).
- The cooking plate, recessed and hermetically welded to the worktop, allows you to cook large quantities of different foods.
- Sloped cooking plate (15 mm thick) to facilitate the drainage of grease and liquids..
- Heating through 3 2-branch chrome-plated steel burners (7 kW) with 3 independent working zones.
- Operating thermostatic valve.
- AISI 304 stainless steel height-adjustable feet (133/195 mm).

@TESTO\_LINEA

@TESTO\_FAMIGLIA

TECHNICAL DATA

TOTAL POWER	21,6 kW	GAS POWER	21,6 kW
TEMPERATURE RANGE	60÷300 °C	NATURAL GAS CONSUMPTION	2,22 m³/h
LPG CONSUMPTION	1.7 m³/h	CABINET DIMENSIONS	113x57,4x39,5 cm
COOKING SURFACE	113x56 cm	PLATE TYPE	Smooth
HEATING ZONES	n° 3	CE GAS CERTIFICATE NUMBER	CE-0085BO0093
GAS CONNECTION DIAMETER	1/2"G EN10226-1	GAS CONNECTION HEIGHT (H)	660 mm
GAS CONNECTION HEIGHT (X)	1166 mm	GAS CONNECTION HEIGHT (Y)	-63 mm
FOOT HEIGHT	155 mm	FOOT ADJUSTMENT	155/250 mm
WIDTH	120 cm	DEPTH	70 cm
HEIGHT	90 cm	PACKAGE WIDTH	127 cm
PACKAGE DEPTH	81 cm	PACKAGE HEIGHT	114 cm
NET WEIGHT	146 kg	GROSS WEIGHT	168,1 kg
VOLUME	1,17 m³	HARMONISED CODE	84198180
LATENT HEAT RELEASE	8640.0 W	SENSIBLE HEAT RELEASE	7560.0 W
STEAM RELEASE	12700.8 g/h		

ACCESSORIES

INSTALLATION SCHEMES




Fig.1 | Abb.1 | рис.1 - 5415.649.00